



## Laboratory Information System - II

Written by Dr. Hazem El-Oraby

Saturday, 22 December 2007 22:35 - Last Updated Tuesday, 28 October 2008 00:59

---

```
valign="top"><font color="#000000">Provide reference ranges</font></td> </tr> </table> </div>
<font color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr>
    <td width="5%" align="left" valign="top"><font
color="#000000"><strong>4</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Provide notification ranges and delta checks</font></td> </tr> </table> </div>
<font color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr>
    <td width="5%" align="left" valign="top"><font
color="#000000"><strong>5</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Display and automatically print requisitions</font></td> </tr> </table> </div>
<font color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr>
    <td width="5%" align="left" valign="top"><font
color="#000000"><strong>6</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Display the patient's full history of cytology tests and results</font></td> </tr>
</table> </div> <font color="#000000">
    </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>7</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Fully record specimen details including smears, EM and
photography</font></td> </tr> </table> </div> <font color="#000000">
    <br /> </font><div align="center"><font color="#000000"> <table border="0" width="100%"> <tr> <td
width="100%" valign="top"><a name="sect88" title="sect88"></a><strong> >>> Specimen log
in</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr>
</table> </font></div> <font color="#000000">
    </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>8</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">User defined data fields for collecting patient's clinical histories, surgical
procedures, and comments</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>9</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">User defined Sequential specimen numbering</font></td> </tr> </table>
</div> <font color="#000000">
    </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>10</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Order entry with duplicate order checking</font></td> </tr> </table> </div>
<font color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr>
    <td width="5%" align="left" valign="top"><font
color="#000000"><strong>11</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to assign specimens to a technologist/pathologist</font></td> </tr>
</table> </div> <font color="#000000">
    <br /> </font><div align="center"><font
```

## Laboratory Information System - II

Written by Dr. Hazem El-Oraby

Saturday, 22 December 2007 22:35 - Last Updated Tuesday, 28 October 2008 00:59

---

```
color="#000000"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a
name="sect89" title="sect89"></a><strong> >> Work-Lists ( Work Sheets )</strong></td>
</tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>12</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support work-lists</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%"
align="left" valign="top"><font color="#000000"><strong>13</strong></font></td> <td
width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support User defined layouts and size</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>14</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support table formats</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>15</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Include patient and specimen information, including date
and time of collection</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>16</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to add comments per specimen</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>17</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Handle dilution factors for automatic calculations of final
results</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>18</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Handle repeat tests</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%"
align="left" valign="top"><font color="#000000"><strong>19</strong></font></td> <td
width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Allow to add, swap and delete specimens</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>20</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Log these specimen changes</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>21</strong></font></td>
```

```
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">User defined labels for containers and slides</font></td>
</tr> </table> </div> <font color="#000000"> <br /> </font><div align="center"><font
color="#000000"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a
name="sect90" title="sect90"></a><strong> >>> Results Entry</strong></td> </tr> <tr> <td
width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>22</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support user defined screen formats for
results</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>23</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support text editor for all findings</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>24</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Have automatic data integrity checks</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>25</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Have real-time range checking based on age, sex and patient
condition</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>26</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">On screen display of deltas</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>27</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support automatic user defined calculations</font></td>
</tr> </table> </div> <font color="#000000"> </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>28</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support auto-validation functions</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>29</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support automatic display of CBC for
comparison</font></td> </tr> </table> </div> <font color="#000000"> <br /> </font><div
align="center"><font color="#000000"> <table border="0" width="100%"> <tr> <td
width="100%" valign="top"><a name="sect91" title="sect91"></a><strong> >>> Interface with
Medical Equipment</strong></td> </tr> <tr> <td width="100%" align="justify"
```

## Laboratory Information System - II

Written by Dr. Hazem El-Oraby

Saturday, 22 December 2007 22:35 - Last Updated Tuesday, 28 October 2008 00:59

---

```
valign="top">◆</td> </tr> </table> </font></div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>30</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Interface to various on-line analyzers </font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>31</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Interface to manual differential counters</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>32</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Support the quality controlled results that are accepted for entry</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>33</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Make results available to the Order Management system</font></td> </tr> </table> </div> <font color="#000000"> <br /> </font><div align="center"><font color="#000000"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect92" title="sect92"><strong> >>> Queries</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>34</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Test results</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>35</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Patient search inquiries</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>36</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Display of all requests for a patient</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>37</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Specimen search criteria</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>38</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Security levels for confidential inquiries</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
```



## Laboratory Information System - II

Written by Dr. Hazem El-Oraby

Saturday, 22 December 2007 22:35 - Last Updated Tuesday, 28 October 2008 00:59

---

```
valign="top"><font color="#000000">Outstanding tests</font></td> </tr> </table> </div> <font
color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>49</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Laboratory status</font></td> </tr> </table> </div> <font
color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>50</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Notification report</font></td> </tr> </table> </div> <font
color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>51</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Unverified tests report</font></td> </tr> </table> </div>
<font color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>52</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Auto-validation reports based on quality control evaluation</font></td> </tr>
</table> </div> <font color="#000000">
    </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>53</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Delta checks</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>54</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Alert levels</font></td> </tr> </table> </div> <font color="#000000"> <br
/> </font><div align="center"><font color="#000000"> <table border="0" width="100%">
<tr> <td width="100%" valign="top"><a name="sect94" title="sect94"></a><strong> >>>
Reports</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr>
</table> </font></div> <font color="#000000">
    </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>55</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Single reports</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>56</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Cumulative reports</font></td> </tr> </table> </div> <font color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%"
align="left" valign="top"><font color="#000000"><strong>57</strong></font></td> <td
width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Ward reports</font></td> </tr> </table> </div> <font
color="#000000">
    </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>58</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
```

valign="top"><font color="#000000">Exception reports</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>59</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Abnormalities highlighted in reports</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>60</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Detailed report :- Coded and free text</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>61</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Detailed report :- Text editor with word processor</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>62</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Detailed report :- SNOMED coding and search facilities</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>63</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Detailed report :- Supplementary reports</font></td> </tr> </table> </div> <font color="#000000"> <br /> </font><div align="center"><font color="#000000"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect95" title="sect95"><strong> >>> Quality Control</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>64</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Capture statistics automatically at the result approval stage</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>65</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Have quality control features e.g. daily quality control logs</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>66</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Use quality control summary reports</font></td> </tr> </table> </div> <font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font color="#000000"><strong>67</strong></font></td> <td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font color="#000000">Have any plots</font></td> </tr> </table> </div> <font

## Laboratory Information System - II

Written by Dr. Hazem El-Oraby

Saturday, 22 December 2007 22:35 - Last Updated Tuesday, 28 October 2008 00:59

---

```
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>68</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support quality control exceptions reports</font></td>
</tr> </table> </div> <font color="#000000"> </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>69</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support Westgard rules for quality control</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>70</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support quality control sample collection</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>71</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support input of individual quality control results</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>72</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support batch input of quality control results</font></td> </tr> </table> </div>
<font color="#000000"> <br /> </font><div align="center"><font color="#000000">
<table border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect96"
title="sect96"></a><strong> >>> Supervisory Functions</strong></td> </tr> <tr> <td
width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>73</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Provide for referral lists</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>74</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Produce statistics</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%"
align="left" valign="top"><font color="#000000"><strong>75</strong></font></td> <td
width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Configurable :- Report format parameters</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>76</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Configurable :- Report approval parameters</font></td> </tr> </table> </div>
```

## Laboratory Information System - II

Written by Dr. Hazem El-Oraby

Saturday, 22 December 2007 22:35 - Last Updated Tuesday, 28 October 2008 00:59

---

```
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
  <td width="5%" align="left" valign="top"><font
color="#000000"><strong>77</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Configurable :- Request number format parameters</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>78</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Configurable :- Worksheet and daybook parameters</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>79</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Create and amend recall letters</font></td> </tr> </table> </div> <font
color="#000000"> <br /> </font><div align="center"><font color="#000000"> <table
border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect97"
title="sect97"></a><strong> >>> Histopathology Management</strong></td> </tr> <tr> <td
width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>80</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support report size parameters</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>81</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Have user defined report editor commands</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
  <td width="5%" align="left" valign="top"><font
color="#000000"><strong>82</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support label parameters</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>83</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support printer parameters</font></td> </tr> </table>
</div> <font color="#000000"> <br /> </font></td> </tr> </table> <font
color="#000000"><br /></font> </div>
```