

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

Provide ability to notify Dietary Department of specific diet orders , admissions , discharges and transfers , and maintain adequate inventory of food items.

The following has been extracted from a recent RFP. I've included it here for your reference. It may prove useful for anyone preparing such a document. Please feel free to comment on this list, and propose any items that you think should have been included in this list.

<p align="center">Dietary</p>
<p>1</p>
<p>Ability to capture level of detail required for highly accurate nutrient calculation</p>
<p>2</p>
<p>Ability to review related Patient information</p>
<p>3</p>
<p>Ability to maintain Inventory Control</p>
<p>4</p>
<p>Ability to Create Diet Roster</p>
<p>5</p>
<p>Provide for menu Tallying</p>
<p>6</p>

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

```
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Record Nutritional Analysis</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>7</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Process caloric counting</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>8</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Support interface with cafeteria</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>9</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to handle food coupons for Medical Staff</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>10</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to record patient questionnaire and Dietitian survey</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>11</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Provide built-in standardization and quality control for the interview
process</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>12</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support entry of food by name, no codes are needed</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>13</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Support food grouping at whole-food and ingredient level</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>14</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Provide for user defined recipes which can be inserted into dietary
records</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>15</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to add extensive text notes</font></td> </tr> </table> </div> <font
```

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

```
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>16</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Managing of Dietary stores : Ordering and
Receiving</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>17</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Managing of : Kitchen , Staff Cafeteria , Visitors Cafeteria</font></td> </tr>
</table> </div> <font color="#000000"> <br /> </font><div align="center"><font
color="#000000"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a
name="sect331" title="sect331"></a><strong> >>> Patient Information ( Patient Care Plans
)</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table>
</font></div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>18</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to receive notification of Patient◆s location ( ex: notice of all
admissions, discharge, and transfers )</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%"
align="left" valign="top"><font color="#000000"><strong>19</strong></font></td> <td
width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Ability to receive immediate notification from nursing
station of changes in patient◆s diet orders</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>20</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Ability to provide diet change labels</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>21</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to provide notification of a completed procedure which required the
patient to be NPO prior to its performance .</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>22</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Ability to access a patient◆s medical information to
develop patient profiles and to determine impact of diet orders.</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>23</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to charge patients for guest meals </font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
```

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

color="#000000">24</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to track patient admissions, discharges and transfers. </td></tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">25</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to create a tailored ◆Nutritional care plan◆, indicating the patient◆s current diet order and useful menu planning information , like preferences, dislikes and nourishments</td> </tr> </table> </div>
 <div align="center"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"> >>> Inventory Control</td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">26</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to maintain a perpetual inventory system with reorder points and economic order quantities, Produce daily par level order sheets, interface with Inventory module</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">27</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to maintain usage statistics in order to adjust and control inventory levels</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">28</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to maintain status of current orders with vendors</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">29</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to retain file of potential vendors and the past performance records of each</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">30</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to provide pricing and extension of inventory</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">31</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Provide for Cafeteria revenue reporting (item popularity tracking)</td> </tr> </table> </div>
 <div align="center"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

name="sect333" title="sect333"> >> Dietary information</td> </tr>
<tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">32</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Daily diet sheet :- Patient name, location, and identification
number</td> </tr> </table> </div> <div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">33</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Daily diet sheet :- Diagnosis and scheduled surgical procedure</td>
</tr> </table> </div> <div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">34</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Daily diet sheet :- Age</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">35</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Daily diet sheet :- Isolation indicator</td> </tr>
</table> </div> <div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">36</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Daily diet sheet :- Patient◆s physician</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">37</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Daily diet sheet :- Type of diet</td> </tr> </table>
</div> <div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">38</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Daily diet sheet :- Which meals to serve</td> </tr> </table> </div>
 <div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000">39</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Daily diet sheet :- All known allergies</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">40</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Nutritional supplements and ◆between meal feedings◆ , if
ordered by physician</td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">41</td> <td width="2%"><font

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

color="#000000">◆</td> <td width="93%" align="justify" valign="top">Nutritional supplements via tube or oral</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">42</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to provide a daily report of total food requirements based on master menu portion sizes and patient◆s menu selections (production count).</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">43</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to provide a daily production schedule listing times, types, and quantities of food to prepare. Include standard recipes for production based on daily requirements. Recipe adjustment</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">44</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to provide costs and monitor caloric and nutritional contents of food consumed by patients on special , restricted, and general diets.</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">45</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to provide portion cost analysis to monitor increases in menu costs</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">46</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to process patient menus and tabulate cumulative food portions</td> </tr> </table> </div>
 <div align="center"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"> >>> Dietary Functions</td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">47</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to generate easy-to-read patient specific tray tickets or tray cards to improve tray accuracy and resident satisfaction</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">48</td> <td width="2%">◆</td> <td width="93%" align="justify" valign="top">Ability to enter and edit menus effortlessly to meet the Hospital needs</td> </tr> </table> </div> <div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left" valign="top">49</td> <td width="2%"><font

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

```
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to generate item tallies and sized recipes reflective of Hospital current
operational requirements to streamline production and reduce waste</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>50</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Generate cost reports and analysis for menus, meals and recipes to monitor
and evaluate budgetary targets</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>51</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to analyze nutritional content of menus, recipes and patient specific
intakes to assess adequacy and regulatory compliance</font></td> </tr> </table> </div> <font
color="#000000"> <br /> </font><div align="center"><font color="#000000"> <table
border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect335"
title="sect335"></a><strong> >>> Dietary Management : Menus</strong></td> </tr> <tr> <td
width="100%" align="justify" valign="top">◆</td> </tr> </table> </font></div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>52</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Print easy to read Tray ticket which indicate precisely
which menu items a patient should receive for a particular meal</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>53</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to create and print special holiday menus</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>54</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Print useful reports for patient care plans and production</font></td> </tr>
</table> </div> <font color="#000000"> <br /> </font><div align="center"><font
color="#000000"> <table border="0" width="100%"> <tr> <td width="100%" valign="top"><a
name="sect336" title="sect336"></a><strong> >>> Dietary Management :
Production</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td>
</tr> </table> </font></div> <font color="#000000"> </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>55</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Produce production sheets with precise amounts required by specific patient
selections</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>56</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
```

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

Print easy to read recipes

57		Ability to resize recipes within seconds for special events or when standardizing recipes
----	--	---

Ability to track production history to determine popularity of items on menus

Dietary Management : Costing

59		Ability to generate costs for menus , patient meals and recipes to monitor and evaluate budgetary compliance
----	--	--

Ability to determine grocery order requirements by utilizing the par stock assignment

61		Print Inventory count sheets and entered quantities
----	--	---

62		Create requisitions for catering events or bulk nourishments
----	--	--

Assessment

Dietary management : Assessment

63		Ability to analyze nutritional content of menus, recipes and patient-specific intake to assess adequacy and regulatory compliance
----	--	---

Ability to analyze nutritional content of menus, recipes and patient-specific intake to assess adequacy and regulatory compliance

64		
----	--	--

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

```
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Ability to set nutritional goals for any diet in the program
and establish Hospital wide exchange patterns for patients</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>65</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to establish customized nutritional goals for individual patients by
setting specific dietary guidelines</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>66</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Analyze the nutritional and exchange values of patient◆s menu
selections</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>67</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to conduct patient calorie counts, analyze what a patient was served
and what was consumed</font></td> </tr> </table> </div> <font color="#000000"> <br />
</font><div align="center"><font color="#000000"> <table border="0" width="100%"> <tr>
<td width="100%" valign="top"><a name="sect339" title="sect339"></a><strong> >>>
Query</strong></td> </tr> <tr> <td width="100%" align="justify" valign="top">◆</td> </tr>
</table> </font></div> <font color="#000000"> </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>68</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to inquire on nutritional content of food types</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>69</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to inquire against laboratory results to produce nutritional assessment
information to monitor acutely ill patients</font></td> </tr> </table> </div> <font
color="#000000"> <br /> </font><div align="center"><font color="#000000"> <table
border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect340"
title="sect340"></a><strong> >>> Reports</strong></td> </tr> <tr> <td width="100%"
align="justify" valign="top">◆</td> </tr> </table> </font></div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>70</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Inventory Reports</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%"
align="left" valign="top"><font color="#000000"><strong>71</strong></font></td> <td
width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Total Food Requirements report</font></td> </tr> </table>
</div> <font color="#000000"> </font><div align="center"> <table border="0"
```

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

```
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>72</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Patient Diet Statistics</font></td> </tr> </table> </div> <font
color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>73</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Quality assurance </font></td> </tr> </table> </div> <font
color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>74</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Productivity Reports</font></td> </tr> </table> </div> <font
color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>75</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Ability to provide daily operating reports which contain food
costs for the :- Current day</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>76</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to provide daily operating reports which contain food costs for the :-
Month to date</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>77</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to provide daily operating reports which contain food costs for the :-
Year to date</font></td> </tr> </table> </div> <font color="#000000">
</font><div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>78</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Volume factors ◆ cumulative for :- Patient floor stock</font></td> </tr>
</table> </div> <font color="#000000">
</font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>79</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Volume factors ◆ cumulative for :- Raw food and supplies</font></td> </tr>
</table> </div> <font color="#000000">
</font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>80</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Volume factors ◆ cumulative for :- House and cafeteria</font></td> </tr>
</table> </div> <font color="#000000">
</font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>81</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Ability to provide budget analysis reports; productivity reports on patient,
```

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

non-patient related activities</td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">82</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Quality assurance reporting based on patients, employee surveys, operations
surveys, prospective, retrospective patient reviews</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">83</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Nutritional care plans including : weight log, diet order,
dislikes and preferences</td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">84</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Tray cards for meal specific service purposes</td> </tr> </table>
</div> <div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">85</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Distribution labels including : patient name , location , current date,
description of included items</td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">86</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Diet order changes (ex: for special diets , allergies or textures) </td>
</tr> </table> </div> <div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">87</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Menu Reports :- Menu item lists</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">88</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Menu Reports :- Exchange value reports</td> </tr>
</table> </div> <div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">89</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Menu Reports :- Master menu reports</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">90</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Menu Reports :- Therapeutic menu reports</td>
</tr> </table> </div> <div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">91</td> <td width="2%"><font

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

```
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Menu Reports :- Selective menu reports</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>92</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Menu Reports :- Tray tickets</font></td> </tr> </table> </div> <font
color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top"><font color="#000000"><strong>93</strong></font></td>
<td width="2%"><font color="#000000">◆</font></td> <td width="93%" align="justify"
valign="top"><font color="#000000">Menu Reports :- Menu item tallies</font></td> </tr>
</table> </div> <font color="#000000"> </font><div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>94</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Menu Reports :- Custom meal choice reports</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>95</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Production Reports:- Scaled recipes ◆ automatically sized to Hospital
production needs</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>96</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Production Reports:- Recipe serving directions ( for Dietary Staff )</font></td>
</tr> </table> </div> <font color="#000000"> </font><div align="center"> <table
border="0" width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000"><strong>97</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Production Reports:- Recipe listing including all recipes by
category</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>98</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Production Reports:- Ingredient listing including all ingredients by
category</font></td> </tr> </table> </div> <font color="#000000"> </font><div
align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top"><font color="#000000"><strong>99</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Costing Reports:- Patient meal cost details</font></td> </tr> </table> </div>
<font color="#000000"> </font><div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000"><strong>100</strong></font></td> <td width="2%"><font
color="#000000">◆</font></td> <td width="93%" align="justify" valign="top"><font
color="#000000">Costing Reports:- Requisition pricing for costing out catering events or bulk
```

Dietary

Written by Dr. Hazem El-Oraby

Sunday, 23 December 2007 00:02 - Last Updated Tuesday, 28 October 2008 00:52

nourishments sent out </td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">101</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Costing Reports:- Inventory item listing</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">102</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Costing Reports:- Grocer order guide</td> </tr>
</table> </div> <div align="center"> <table border="0"
width="90%"> <tr> <td width="5%" align="left" valign="top"><font
color="#000000">103</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Assessment Reports:- Nutrient analysis</td> </tr> </table> </div>
 <div align="center"> <table border="0" width="90%"> <tr>
<td width="5%" align="left" valign="top"><font
color="#000000">104</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Assessment Reports:- Calorie counts</td> </tr> </table> </div> <font
color="#000000">
 <div align="center"> <table
border="0" width="100%"> <tr> <td width="100%" valign="top"><a name="sect341"
title="sect341"> >> Integration</td> </tr> <tr> <td width="100%"
align="justify" valign="top">◆</td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">105</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Patient ADT </td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">106</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Inventory </td> </tr> </table> </div>
<div align="center"> <table border="0" width="90%"> <tr> <td width="5%" align="left"
valign="top">107</td> <td width="2%"><font
color="#000000">◆</td> <td width="93%" align="justify" valign="top"><font
color="#000000">Order and Results Reporting</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">108</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Nursing module</td> </tr> </table> </div> <font
color="#000000"> <div align="center"> <table border="0" width="90%"> <tr> <td
width="5%" align="left" valign="top">109</td>
<td width="2%">◆</td> <td width="93%" align="justify"
valign="top">Material Management</td> </tr> </table> </div>

 </td> </tr> </table> <br
</div>